

03500.012596.1



Duplicate

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)	Examiner: S. Shaw
	:	
SHIGEAKI ONO)	Group Art Unit: 3737
	:	
Application No.: 09/933,710)	U.S. Patent No.: 6,834,202 B2
	:	
Filed: August 22, 2001)	Issued: December 21, 2004
	:	
For: BLOOD FLOW MEASURING APPARATUS)	August 5, 2005

Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

ATTENTION: CERTIFICATES OF CORRECTION BRANCH

REQUEST FOR CERTIFICATE OF CORRECTION
UNDER RULES 322 AND 323

Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent and Trademark Office mistakes, and mistakes of a clerical, typographical, or minor character, which were not the fault of the Patent and Trademark Office. A Certificate of Correction form, in duplicate, is enclosed.

Accompanying this letter is a check for \$100.00 to cover the statutory fee for such Certificate of Correction.

Patentee's undersigned attorney may be reached in our Washington, D.C. office
by telephone at (202) 530-1010. All correspondence should continue to be directed to our
address given below.

Respectfully submitted,

A handwritten signature in black ink, appearing to read "Douglas W. Pinsky", written over a horizontal line.

Attorney for Patentee
Douglas W. Pinsky
Registration No. 46,994

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
Facsimile: (212) 218-2200
DWP/tmc/llp
DC_MAIN 199057

03500.012596.1



\$ cofc
PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)	Examiner: S. Shaw
	:	
SHIGEAKI ONO)	Group Art Unit: 3737
	:	
Application No.: 09/933,710)	U.S. Patent No.: 6,834,202 B2
	:	
Filed: August 22, 2001)	Issued: December 21, 2004
	:	
For: BLOOD FLOW MEASURING APPARATUS)	August 5, 2005

Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

Certificate
AUG 10 2005
of Correction

ATTENTION: CERTIFICATES OF CORRECTION BRANCH

REQUEST FOR CERTIFICATE OF CORRECTION
UNDER RULES 322 AND 323

Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent and Trademark Office mistakes, and mistakes of a clerical, typographical, or minor character, which were not the fault of the Patent and Trademark Office. A Certificate of Correction form, in duplicate, is enclosed.

Accompanying this letter is a check for \$100.00 to cover the statutory fee for such

Certificate of Correction.

08/08/2005 SSITHIB1 00000067 6834202
01 FC:1811 100.00 OP

AUG 12 2005

Patentee's undersigned attorney may be reached in our Washington, D.C. office by telephone at (202) 530-1010. All correspondence should continue to be directed to our address given below.

Respectfully submitted,

A handwritten signature in dark ink, appearing to read "Douglas W. Pinsky", is written over a horizontal line.

Attorney for Patentee
Douglas W. Pinsky
Registration No. 46,994

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
Facsimile: (212) 218-2200
DWP/tmc/llp
DC_MAIN 199057

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,834,202 B2

DATED : December 21, 2004

INVENTOR(S) : SHIGEAKI ONO

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 3

Line 25, "after to the" should read --after the--.

COLUMN 13

Line 31, "the, black" should read --the black--.

COLUMN 14

Line 56, "that" should read --so that--.

COLUMN 19

Line 54, "157," should read --157.--.

COLUMN 23

Line 18, "period" should read --period A--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,834,202 B2

No. of add'l. copies
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)

(Form#30) DSG/umc/ltp DC_MAIN 199057



AUG 12 2005

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,834,202 B2

DATED : December 21, 2004

INVENTOR(S) : SHIGEAKI ONO

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 3

Line 25, "after to the" should read --after the--.

COLUMN 13

Line 31, "the, black" should read --the black--.

COLUMN 14

Line 56, "that" should read --so that--.

COLUMN 19

Line 54, "157," should read --157.--.

COLUMN 23

Line 18, "period" should read --period A--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,834,202 B2

No. of add'l. copies
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)

(Form#30) DSG/tme/ltp DC_MAIN 199057



AUG 12 2005